


BUILD YOUR STYLE
AMAZING & FANTASTIC


空氣力學 AERO MECHANICS

空氣力學輪組

TENY CO 生產空氣力學輪的輪圈皆為空心圓椎狀 ，導引空氣順暢流動降低逆風側風所產生風阻，加上特殊排風設計葉片式輪幅，讓風的阻力加快排除，藉此催化慣性轉動效能，加強在風干擾環境中操控性能，讓風阻干擾因素降至最低，提升騎行舒適安全、操控性能與耐久性

The rim of Teny aeromechanics wheelset is all hollow and conical, it can to guide air pass through smoothly and reduce the windage from adverse wind or crosswind. Also Teny 's special vane spoke design can to remove windage in short time, catalyze inertia effect, strengthen control function while riding in wind climate, to minimize windage cause to least. To promote safety and comfortable, control function on riding.





空氣力學設計
催化慣性轉動
特殊排風輪幅
加速風阻側風影響

Aeromechanics design can catalyze inertia effect, special vane spoke design can to windage in short time, reduce the influence that from adverse wind or crosswind

三鐵選手的評論

1.在有逆風或側風氣候時本輪組比任何輕量化輪組及碳纖維輪組更平穩、順暢、安全。
2.騎乘下坡路段可感受到有明顯的爆發力，使整體速度更快，可調息體力做最好衝刺。





The comment of triathlon player

1. When ride in the windy or contrary wind weather, to use Teny aeromechanics wheelset is more steady, safety and smoothly than other light weight wheeslet including of carbon wheelset,, it helps rider easy to control the bike. because of light weight wheelset is difficult to hold the bike.
2. You can feel very obviously explosiveness speed and fast rate when ride on downgrade, it is easy to adjust the energy for making final sprint.





Teny Rim Enterprise Co., Ltd. is the professional wheel manufacturer & factory which has 20 years experience. Regarding of the view of young customers change, there are more and more customers prefer to use Teny wheel on their bike, to built personal style bike, whatever on road bike or fixed gear bike. More and more riders are seeking unique and special parts to make their bike fashion and colorful, they notice Teny wheelset has many colors to match and also quality is good. It not only makes bike cool but also move around very smoothly while riding. Teny wheel product also passed ***EN testing***, it means quality and strength is guaranteed. That is why more and more customers to use Teny wheel product. Let us see cool bikes !











強度安全功能測試

輪組通過歐盟EN耐衝擊疲勞安全測試，依據歐盟EN14764測試標準，經過75萬次衝擊後未產生任何裂痕、破損、偏擺或輪胎洩氣等情況。

Strength & Safety Function Testing

The wheel passed EN14764 testing standard and never happened crack, damage deflection or flat tire after 750000 times fatigue impact testing.





Road Bike THE WHEELS PASSED EN14764 TEST.
700C Three Spoke Series







Model: T3 -F (Front With CNC) NEW

Size	700x23C
Axle	M9x100x104,QR
Material	Aluminum Magnesium Alloy
Assembly	Bearing
Weight	1600g
Color	C.P Powder Coating: Black, White, Red, Yellow, Blue Neon color coating: Yellow, Orange, Green

Model: T3 -R (Rear With CNC) NEW

Size	700x23C
Axle	M10x130x140, 8-10SP CASSETTE, QR
Material	Aluminum Magnesium Alloy
Assembly	Bearing
Weight	1700g
Color	C.P Powder Coating: Black, White, Red, Yellow, Blue Neon color coating: Yellow, Orange, Green



Track Bike THE WHEELS PASSED EN14764 TEST.
700C Three Spoke Series





Model: T3 FIXEDGEAR-F (Front) NEW

Size	700x25-38C
Axle	3/8x100x140
Material	Aluminum Magnesium Alloy
Assembly	Bearing
Weight	1600g
Color	C.P Powder Coating: Black, White, Red, Yellow, Blue Neon color coating: Yellow, Orange, Green






Model: T3 FIXEDGEAR-R (REAR) NEW

Size	700x25-38C
Axle	3/8x120x165, Single Speed &Two side-thread
Material	Aluminum Magnesium Alloy
Assembly	Bearing
Weight	1700g
Color	C.P Powder Coating: Black, White, Red, Yellow, Blue Neon color coating: Yellow, Orange, Green

FAT BIKE SIX SPOKE SERIES







Model: T6 SNOW-F(Front)

Size	26x4.0-5.0
Axle	M10x135x145,QR
Material	Aluminum Magnesium Alloy
Assembly	Bearing
Weight	1900g
Color	C.P Powder Coating: Black, White, Red, Yellow, Blue Neon color coating : Yellow, Orange, Green

Model: T6 SNOW-R(Rear)

Size	26x4.0-5.0
Axle	M10x170x180, CASSETTE ,8-10SP,QR M10x190x200, CASSETTE ,8-10SP,QR
Material	Aluminum Magnesium Alloy
Assembly	Bearing
Weight	2000g
Color	C.P Powder Coating: Black, White, Red, Yellow, Blue Neon color coating : Yellow, Orange, Green



Road Bike 700C Series

THE WHEELS PASSED EN14764 TEST.

Model: 700C-Road Bike-A

Size	700C x 23C-25C (F & R all for Disk brake)
Axle	F: M9x100x108,QR R: M10x135x145, 8-10 sp cassette, QR
Assembly	Bearing
Material	Aluminum Magnesium Alloy
Color	Powder coating : White, Black, Red, Yellow, Blue(basic on YS card) Neon color coating : Green, Yellow, Orange, Hot Pink, Purple, Pink, Sky Blue(basic on YS card)



Model: 700C-Road Bike-B

Size	700C x 23C-25C (F & R all for V brake)
Axle	F: M9x100x108,QR R: M10x130x140, 8-10 sp cassette, QR
Assembly	Bearing
Material	Aluminum Magnesium Alloy
Color	Powder coating : White, Black, Red, Yellow, Blue(basic on YS card) Neon color coating : Green, Yellow, Orange, Hot Pink, Purple, Pink, Sky Blue(basic on YS card)



Track Bike
(Fixed -Gear Wheelset)

THE WHEELS PASSED EN14764 TEST.







Model: Fixed-gear Wheelset-TAF (Front)

Size	20" x 1.25 ~ 1.5 / 26" x 1.0 ~ 1.35 / 700C x 25C ~ 38C
Axle	F:3/8x100x140
Assembly	Bearing
Color	White, Black, Red, Yellow, Blue(basic on YS card) Neon color coating : Green, Yellow, Orange, Hot Pink, Purple, Pink, Sky Blue (basic on YS card)



Model: Fixed-gear Wheelset-TAR (Rear)

Size	20" x 1.25 ~ 1.5 / 26" x 1.0 ~ 1.35 / 700C x 25C ~ 38C
Axle	R:3/8x120x165, single speed & two side-thread
Assembly	Bearing
Freewheel	L:Fixed gear R:BC 1.37X24T
Material	Aluminum Magnesium alloy
Gearshift	Fixed gear only
Color	Powder coating : White, Black, Red, Yellow,Blue(basic on YS card) Neon color coating : Green, Yellow, Orange, Hot Pink, Purple, Pink, Sky Blue (basic on YS card)

MTB & Cross Country








Model: TAFD/DISK (F & R all for Disc brake)

Size	26"x1.5-2.5 24" x1.5-25
Axle	F: M9x100x108,QR R: M10x135x145, 8-10 sp cassette, QR
Material	Aluminum Magnesium Alloy
Assembly	Sealed Bearings
Color	Black, White, Red , Yellow, Blue







Model: TAFD/THREADDISK (F & R all for Disc brake)

Size	26"x1.5-2.5 24" x1.5-25
Axle	F: M9x100x108,QR R: M10x135x145, 7 sp cassette, QR
Material	Aluminum Magnesium Alloy
Assembly	Sealed Bearings
Color	Black, White, Red , Yellow, Blue

Folding Bike & Mini Velo SERIES










Model: TAFD/DISK
(Front & Rear DISK Brake / NO CNC)

Size	20" x 1.25"-1.5"
Material	Aluminum Magnesium Alloy
Assembly	F:M9x100x108 R:M10x135x145 8-9SP Cassette, W/Q.R.
Axle	Bearing
Color	Powder coating : Red, Yellow, Blue, Black,White



Model: TAF/THREAD
(Front & Rear V-brake / CNC)

Size	20"x1.35"-1.5"
Material	Aluminum Magnesium Alloy
Assembly	F:M9x100x108 R:M10x135x145 7SP Freewheel W/Q.R.
Axle	Bearing
Color	Powder coating : Red, Yellow, Blue, Black, White



Model: TAF/THREAD

Size	12"x1.75" 16"x1.75"
Material	Aluminum Magnesium Alloy
Assembly	F:3/8x83x130 R:3/8x114x165 two side-thread
Axle	Bearing
Color	Powder coating : Red, Yellow, Blue, Black, White



Wheel For Wheelchair Series



Model: TAC-6000BHW

Size	24" x 1 3/8
Material	Aluminum Magnesium Alloy
Assembly	Bearing 6001
Hub	52 x 62
Axle	12 m/m
Color	Powder coating : Red, Yellow, Blue, Black, Silver







Model: TAC-6000BHW-R8

Size	24" x 1 3/8 24" x 1"
Material	Aluminum Magnesium Alloy
Assembly	Bearing R8
Hub	52 x 62
Axle	12.7 m/m
Color	Powder coating : Red, Yellow, Blue, Black, Silver





Model: TAC-6000BHW-R8

Size	25" x 1 3/8 (for 24 x 1 3/8 hard tyre)
Material	Aluminum Magnesium Alloy
Assembly	Bearing R8
Hub	52 x 62
Axle	12.7 m/m
Color	Powder coating : Red, Yellow, Blue, Black, Silver



Wheel For Trikes & Cargo Series





Model: 3TRK

Size	12" x 1.75" ~ 2.125" 24" x 1.75" ~ 2.5" 16" x 1.75" ~ 2.125" 26" x 1.75" ~ 2.5" 20" x 1.75" ~ 2.125"
Material	Aluminum Magnesium Alloy
Assembly	6mm KEY
Axle	17mm ~ 25mm
Hub	52 x 63mm
Color	Powder coating : Red, Yellow, Blue, Black





Model: 3TRB

Size	12" x 1.75" ~ 2.125" 24" x 1.75" ~ 2.5" 16" x 1.75" ~ 2.125" 26" x 1.75" ~ 2.5" 20" x 1.75" ~ 2.125"
Material	Aluminum Magnesium Alloy
Assembly	Bearing
Axle	12mm ~ 17mm
Hub	52 x 63mm
Color	Powder coating : Red, Yellow, Blue, Black

Bench Cruiser

Model: Bench Cruiser-TA 26"

Size	26"x1.75"-2.125"
Material	Aluminum Magnesium Alloy
Axle	F:3/8x100x140 R:3/8x112x170
Assembly	Bearing
Color	Powder coating : White, Black Neon color coating : Yellow, Red, Orange, Green, Pink





BMX Series

Model: BMX-TA 20"

Size	20"x1.75"-2.125"
Material	Aluminum Magnesium Alloy
Axle	F:3/8x100x140 R:3/8x112x170
Assembly	Bearing
Color	Powder coating : White, Black Neon color coating : Yellow, Red, Orange, Green, Pink

Packing Way

Specifics of TENY UNI-WHEEL



While riding Spins extremely smoothly
Reduces physical vigor definitely
Decreases volume of wind resistance
Reinforces riding speed
Raises wheel toughness
Thus feel safe
Cheerful comfortable


The carton of packing



1.For OEM : 4PCS/ CARTON

2.For After Marketing : 2PCS / CARTON

RICKSHAW & CARRIAGE RIM



C-26

ETRTO:26 x customize **RICKSHAW** **CARRIGE**
Spoke:customize
Colors:Powder Coating
Size:customize
Gauges:13G, 14G ,customize





C-38

ETRTO:38 x customize **RICKSHAW** **CARRIGE**
Spoke:customize
Colors:Powder Coating
Size:customize
Gauges:13G, 14G ,customize

E-BIKE SPOKE WHEELSET



W-18

ETRTO:18 x 622
Spoke:36H
Colors:Powder Coating
Size:27.5' x 1.5~2.5 **E-MTB**
28' x 1.5~2.25 **E-TREK**
29' x 1.5~2.5 **E-MTB**
Hub:F:100X108
R:135X145,8~10SP cassette
Axle:F:M10/M15 R:M9/M12
Brack:Disk brack or V-brack



E-BIKE & BICYCLE RIM



E-20

ETRTO:18x622(700C,28',29')	E-BIKE	TREK	
18x584(27.5')	E-BIKE	TREK	
18x559(26')	E-BIKE	TREK	CARGO
18x507(24')	E-BIKE	TREK	CARGO

Spoke:32H, 36H
Colors:Powder Coating
Size:29' x 1.5~2.1, 28' x 1.2~2.0
700 x 25~45C, 27.5' x 1.5~2.5
26' x 1.5~2.5, 24' x 1.5~2.1
Gauges:13G, 14G








E-24

ETRTO:19x622(700C,28',29')	E-BIKE	MTB	TREK
19x584(27.5')	E-BIKE	MTB	
19x559(26')	E-BIKE	MTB	CARGO
19x507(24')	E-BIKE	MTB	CARGO

Spoke:32H, 36H
Colors:Powder Coating
Size:29' x 1.5~2.1, 28' x 1.2~2.0
700 x 25~45C, 27.5' x 1.5~2.5
26' x 1.5~2.5, 24' x 1.5~2.1
Gauges:13G, 14G



E-26

ETRTO:33x622(29')	E-BIKE	MTB	DH
33x584(27.5')	E-BIKE	MTB	DH
33x559(26')	E-BIKE	MTB	CARGO
33x507(24')	E-BIKE	MTB	CARGO
33x406(20')	E-BIKE	BMX	CARGO

Spoke:32H, 36H, 48H
Colors:Powder Coating
Size:29' x 1.5~2.1, 27.5' x 1.5~2.5
26' x 1.5~2.5, 24' x 1.5~2.1
20' x 1.5~2.5
Gauges:13G, 14G





E-30

ETRTO:17x622(700C,28',29')	E-BIKE	MTB	TREK
17x584(27.5')	E-BIKE	MTB	
17x559(26')	E-BIKE	MTB	CARGO
17x507(24')	E-BIKE	MTB	CARGO

Spoke:32H, 36H
Colors:Powder Coating
Size:29' x 1.5~2.1, 28' x 1.2~2.0
700 x 25~45C, 27.5' x 1.5~2.5
26' x 1.5~2.5, 24' x 1.5~2.1
Gauges:13G, 14G

TENY RIM ENTERPRISE CO., LTD.
NO.30 LANE 32,CHUNGCHEG 1ST., YUNGKANG DIST.,
TAINAN CITY, TAIWAN.
TEL:+886-6-2539738 2532778 FAX:+886-6-2539688
E-MAIL:t8634081@ms38.hinet.net
sales@tenyrim.com.tw
WEB:www.tenyrim.com.tw

田霖空氣力學輪組
TENY Aeromechanics Wheelset

未來自行車輪新思維
New future bike wheel concept

打造自行車創意時尚新概念
& Making Bike fashion style

強韌舒適
Strong & Tenacity

自由搭配
Match by yourself

炫彩勁靚
Colorful

活力慣性
Cheerful riding

時尚玩酷
Fashion & Cool



Teny Rim

WEITT

TENY RIM ENTERPRISE CO., LTD.

台南市永康區中正一街32巷30號
No.30 Lane 32 Chung Cheng 1st.,
Yung Kang Dist., Tainan City, Taiwan, R.O.C

Tel : +886-6-2539738 . 2532778
Fax : +886-2539688
http://www.tenyrim.com.tw
E-mail : t8634081@ms38.hinet.net

WEITT(XIAMEN) TRADE CO., LTD.
偉展(廈門)商貿有限公司
廈門市同安區城東工業區思慶路80號A3單元
Unit A3, No. 80, SiQing Road, ChengDog
Industrial Zone, Tong'An District, Xiamen, China

Tel : 0592-7310182
Fax : 0592-7310183
http://www.weitt-teny.com
E-mail : master@weitt-teny.com

MONSTER ART STUDIO Tel: 06-2982581 0932828108 maa.mjaa@gmail.com
2015 March for 1000 copies